

SSN COLLEGE OF ENGINEERING, KALAVAKKAM
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
CS6413 - OPERATING SYSTEM LAB

Lab Exercise 11 Implementation of Paging Technique

Aim:

To develop a C program to implement the paging technique in memory management.

Procedure:

1. Get the total size of the physical memory and the page size.
2. Divide the physical memory into frames.
3. Initialize the physical memory structure using random number generation (Some frames must be free and some random frames are already allotted to other process)
4. Construct the free frame list.
5. Get the Process memory requirement. Divide the LAS into n pages.
6. If n free frames are available, allot the process and update the page table.
7. Show the conversion of any logical address into the corresponding physical address.
8. Do de-allocation accordingly.
9. Repeat the steps 5-8 for N processes.

SAMPLE INPUT/OUTPUT:

Note: All outputs below are in underlined format

Paging Technique

Enter the physical memory size: 32 KB

Enter the page size = 1 KB

Physical memory is divided into 32 frames.

After initialization

Free Frames: 3 6 9 12 1 2 18 30 25

1. Process request
2. Deallocation
3. Page Table display for all input process
4. Free Frame list display
5. Exit

Enter the option:1

Enter the Process requirement(ID,size): P1, 4 KB

Process is divided into 4 pages

Page Table for P1:

Page 0 : Frame 3

Page 1: Frame 6

Page 2 : Frame 9

Page 3: Frame 12

Enter the option: 4

Free Frames: 1 2 18 30 25

Enter the option: 1

Enter the Process requirement(ID,size): P2, 2 KB

Process is divided into 2 pages

Page Table for P2:

Page 0 : Frame 1

Page 1: Frame 2

Enter the option: 4

Free Frames: 18 30 25

Enter the option: 3

Page Table for P1:

Page 0 : Frame 3

Page 1: Frame 6

.....

Page Table for P2:

Page 0 : Frame 1

Page 1: Frame 2

Enter the option: 2

Enter the process ID to be de-allocated:P1

Enter the option:4

Free Frames: 18 30 25 3 6 9 12 (freed frames appened at end)